




DUURI Pro[®]

KULUNOHJAUSTUOTTEET
TACTILE INDICATORS



Sisällys

Kulunohjaus	3
Asentaminen	15
Merkit ja kyltit	17
Reunaesteet	19
Tolpat	21
Askelkulmat	24

**XC-MDB6025**

Material : Stainless Steel
Size : 250x250x1.2/1.5mm

**XC-MDB6026**

Material : Stainless Steel
Size : 250x250x1.2/1.5mm

**XC-MDB6026C**

Material : Stainless Steel
Size : 250x250x1.5mm

**XC-MDB6006**

Material : Stainless Steel
Size : 300x300x1.2/1.5mm

**XC-MDB6011**

Material : Stainless Steel
Size : 300x300x1.2/1.5mm

**XC-MDB6006B**

Material : Stainless Steel
Size : 300x300x1.5mm

**XC-MDB6011B**

Material : Stainless Steel
Size : 300x300x1.5mm

**XC-MDB6011D**

Material : Stainless Steel
Size : 300x300x1.5mm

**XC-MDB6028**

Material : Stainless Steel
Size : 300x300x1.2/1.5mm

**XC-MDB6027**

Material : Stainless Steel
Size : 300x300x1.2/1.5mm

**XC-MDB6028B**

Material : Stainless Steel
Size : 300x300x1.5mm

**XC-MDB6027B**


Material : Stainless Steel
Size : 300x300x1.5mm

**XC-MDB6004**

Material : Stainless Steel

Brass


Size : 300x600x6.5mm

**XC-MDB6013**

Material : Stainless Steel

Brass


Size : 300x300x6.5mm

**XC-MDB6008**

Material : Stainless Steel+Carborundum

Brass+Carborundum


Size : 300x600x6.5mm

**XC-MDB6014**

Material : Stainless Steel

Brass

Size : 300x300x6.5mm

**XC-MDB6001**

Material : Stainless Steel

Brass

Size : 300x600x6.5mm

**XC-MDD1114C**

Material : Stainless Steel
Size : 35x25x4.5mm

**XC-MDD1516**

Material : Stainless Steel
Size : 35x25x4.5mm

**XC-MDD1153**

Material : Stainless Steel
Size : 35x25x4.5mm

**XC-MDD1118**

Material : Stainless Steel
Size : 35x25x4.5mm

**XC-MDD1120**

Material : Stainless Steel
Size : 35x25x4.5mm

**XC-MDD1133**

Material : Stainless Steel
Size : 35x25x7mm

**XC-MDD1345F**

Material : Stainless Steel
Size : 35x25x4.5mm

**XC-MDD1501-3**

Material : Stainless Steel
Size : 35x25x4.5mm

**XC-MDD1501-2**

Material : Stainless Steel
Size : 35x25x4.5mm

**XC-MDD1151**

Material : Stainless Steel

**XC-MDD1529-5**

Material : Stainless Steel

**XC-MDD1605H**

Material : Stainless Steel

**XC-MDT5006**

Material : Stainless Steel
Size : 290x35x4.5mm

**XC-MDT5059D**

Material : Stainless Steel
Size : 280x35x5mm

**XC-MDT5079**

Material : Stainless Steel
Size : 300x30x4mm

**XC-MDT5088C**

Material : Stainless Steel
Size : 380x35x5mm

**XC-MDT5100**

Material : Stainless Steel
Size : 140x25x5mm

**XC-MDT5091**

Material : Stainless Steel
Size : 370x35x5mm

**XC-MDT5093-2**

Material : Stainless Steel
Size : 400x25x5mm

**XC-MDT5099-1**

Material : Stainless Steel
Size : 290x23x5mm

**XC-MDT5067F**

Material : Stainless Steel

Size : 280x35x5mm

**XC-MDD1519-2**

Material : Stainless Steel

Size : 35x25x5mm

**XC-MDT5067D-3**

Material : Stainless Steel

Size : 280x35x5mm

**XC-MDD1519-6**

Material : Stainless Steel

Size : 35x25x5mm

**XC-MDT5049B**

Material : Stainless Steel

Size : 280x35x4.5mm

**XC-MDT5007**


Material : Stainless Steel

Size : 280x35x4.5mm

**XC-MDD1543**

Material : Stainless Steel

Size : 35x25x4.5mm

**XC-MDD1305B**

Material : Stainless Steel

Size : 35x25x4.5mm

**XC-MDD1305B-7**

Material : Stainless Steel

Size : 35x25x4.5mm

**XC-MDD1443**

Material : Stainless Steel
Size : 35x25x4.5mm

**XC-MDT5003E**

Material : Stainless Steel
Size : 280x35x4.5mm

**XC-MDD1323**

Material : Stainless Steel
Size : 35x25x5mm

**XC-MDT5064**

Material : Stainless Steel
Size : 280x35x5mm

**Standard Size Of Warning Tactile :**

35x4.5mm/35x5mm/25x5mm/25x4mm/23x5mm/22x5mm or the other size.

Standard Size Of Directional Tactile :

280x35x4.5mm/290x35x4.5mm/320x35x5mm/370x35x5mm/380x35x5mm/420x35x5mm/
230x35x5mm/140x25x5mm/400x25x5mm/280x27x5mm/290x27x5mm
or the other size.

**XC-MDD1333A**

Material :
Stainless Steel+Carborundum
Size : 35x25x4.5mm

**XC-MDD1599**

Material :
Stainless Steel+Carborundum
Size : 35x25x4.5mm

**XC-MDD1314**

Material :
Stainless Steel+Carborundum
Size : 35x25x4.5mm

**XC-MDD1534B**

Material :
Stainless Steel+Carborundum
Size : 22x12x5mm

**XC-MDT5024**

Material :
Stainless Steel+Carborundum
Size : 290x35x4.5mm

**XC-MDT5018A**

Material :
Stainless Steel+Carborundum
Size : 280x27x5mm

**XC-MDD1328-1**

Material :
Stainless Steel+Carborundum
尺寸 / Size : 35x25x4.5mm

Available Color



**XC-MDD1600**

Material :
Stainless Steel+Polyurethane
Size : 35x25x4.5mm

**XC-MDD1413**

Material :
Stainless Steel+Polyurethane
Size : 35x25x4.5mm

**XC-MDD1313**

Material :
Stainless Steel+Polyurethane
Size : 35x25x4.5mm

**XC-MDD1329**

Material :
Stainless Steel+Luminous
Size : 35x25x4.5mm

**XC-MDT5121**

Material :
Stainless Steel+Luminous
Size : 290x35x4.5mm

**XC-MDD4011A**

Material :
Stainless Steel+Polyurethane
Size : 35x25x4.5mm

**XC-MDT5115**

Material :
Stainless Steel+Polyurethane
Size : 290x35x4.5mm

**XC-MDD1601C**

Material :
Stainless Steel+Polyurethane
Size : 35x25x5mm

**XC-MDT5101A**

Material :
Stainless Steel+Polyurethane
Size : 285x34x5.5mm

**XC-MDD5082**

Material : Aluminum
Size : 290x35x5mm

**XC-MDD5082-1**

Material : Aluminum
Size : 290x35x5mm

**XC-MDD3005**

Material : Aluminum
Size : 35x25x4.5mm

**XC-MDD3011**

Material : Aluminum
Size : 22x12x5mm

**XC-MDD3001**

Material : Aluminum
Size : 35x25x4.5mm

Available Color





XC-MDD1528-1

Material : Copper
Size : 35x21x5mm



XC-MDD2002

Material : Brass
Size : 35x25x4.5mm



XC-MDD2038

Material : Brass
Size : 35x25x4.5mm



XC-MDD2043

Material : Brass
Size : 35x25x4.5mm



XC-MDD2011

Material : Brass
Size : 35x25x4.5mm



XC-MDD2010

Material : Brass
Size : 35x25x4.5mm




XC-MDD2045

Material : Brass
Size : 25x15x4mm



XC-MDT5086C

Material : Brass
Size : 280x35x5mm



**XC-MDD1464**

Material :
Stainless Steel+Resin
Size : 22x12x5mm

**XC-MDD1464C**

Material :
Stainless Steel+Resin
Size : 22x12x5mm

**XC-MDD1573A**


Material :
Stainless Steel
Size : 22x12x5mm

**XC-MDD1465**

Material :
Stainless Steel
Size : 22x12x5mm

**XC-MDD1447**


Material :
Stainless Steel+Luminous
Size : 22x12x5mm

**XC-MDT5073**

Material :
Stainless Steel+Resin
Size : 290x27x5mm

**XC-MDT5073C**

Material :
Stainless Steel+Resin
Size : 290x27x5mm

**XC-MDT5075-2**

Material :
Stainless Steel
Size : 290x27x5mm

**XC-MDT5045**

Material :
Stainless Steel
Size : 290x27x5mm

**XC-MDT5073L**

Material :
Stainless Steel+Luminous
Size : 290x27x5mm





XC-MDD1497F



XC-MDD1332

Material : Stainless Steel/Brass
Size : 25x15x6mm



XC-MDD1440



XC-MDD1331B



XC-MDD2028E



Material : Stainless Steel/Brass
Size : 400x20x6mm



PVD-HL Polish



PVD Treatment



PVD-Mirror Polish



Golden PVD-Mirror Polish





XC-MDD4001

Material : Polyurethane
Size : 35x25x5mm



XC-MDD4009

Material : Polyurethane
Size : 35x25x5mm



XC-MDD4003

Material : Polyurethane
Size : 35x25x5mm



XC-MDD4015

Material : Polyurethane
Size : 35x25x5mm




XC-MDD4008

Material : Polyurethane
Size : 22.8x12x5mm



XC-MDD5101

Material : Polyurethane
Size : 290x35x5mm / 380x35x5mm




XC-MDD7001B

Material : Polyurethane
Size : 300x300x7mm



XC-MDD7003B

Material : Polyurethane
Size : 300x300x7mm



Installation Template 1




Installation Template 2



Hammer Drill Bit



Core Drill Bit




Drilling Template



Plug

Installation Process





XC-MDD6104

Material :
Brass+Carborundum
Size : 62mm




XC-MDD6103

Material :
Stainless Steel
Size : 75mm



XC-MDD6102

Material :
Stainless Steel+Luminous
Size : 100mm



XC-MDD6101

Material : Brass
Size: 150mm





Material : Aluminum



Material : Aluminum



Material : Aluminum




Material : Aluminum




Material : Aluminum



Material : Aluminum



Material : PVC



Material : ALU+PVC



Material : SS+PVC



Material : Aluminum



Material : Aluminum

**XC-MDD1700C**

Material : Stainless Steel

Size : 35mm

XC-MDD1700D


Material : Stainless Steel

Size : 35mm

**XC-MDD1702B**

Material : Stainless Steel

Size : 70mm

**XC-MDD1702R/1702S**

Material : Stainless Steel

Size : 100mm

**XC-MDD1700A**

Material : Stainless Steel

Size : 85mm



**XC-MDD1700E**

Material : Stainless Steel
Size : 35mm

**XC-MDD1703**

Material : Stainless Steel
Size : 130mm

**XC-MDD1701**

Material : Stainless Steel
Size : 35x10mm

**XC-MDD1704**

Material : Stainless Steel
Size : 100mm

Fixed Bollard

Fixed bollard is usually used for the permanent closed area, including street design fixed bollards and security fixed bollards.

Sizes of bollards: Diameter of 89mm, 102mm, 114mm, 133mm, 168mm, 220mm, 275mm, 330mm and other customization size.

Material: FE, SS304, SS316 and all kinds of composite materials.



Removable Bollard

Removable Bollard is usually used in entrance-exit of convenience store, super market, staff parking etc, and provides better flexibility choice which used for access control and protection strengthen, this style is removable anytime to restore the road passage.



Retractable Bollard

Retractable bollard is used in courtyard, private garage which with economic and convenient solution.


Retractable bollard provide the most economical and convenient solution for garage, parking, villa and prevents the vehicle or other properties from being stolen.



Semi-automatic Bollard

Semi-automatic bollard is used for channel control system with high security but lower use frequency.

Semi-automatic bollard is normally suitable for access control system of higher security demand but low frequency.






Pneumatic-automatic Bollard

Pneumatic-automatic Bollard is used for the project of stronger openness, more system bollard, higher lifting speed & operating frequency. Use air powered, conform to the trend of energy conservation and environmental protection.



Lift the console




**XC-FHT1001**

Material : ALU+PVC
Size : 75x10mm

**XC-FHT1002**

Material : ALU+PVC
Size : 75x10mm

**XC-FHT1003**

Material : ALU+PVC
Size : 50/55/60x20mm

**XC-FHT1006**


Material :
ALU+Luminous
Size : 65x10mm

**XC-FHT1004**


Material :
ALU+Carborundum
Size : 65x10mm

**XC-FHT1005**

Material :
ALU+Carborundum
Size : 108x10mm

**XC-FHT1007**

Material :
SGCC+Carborundum
Size : customized size



Material :
GRP+Carborundum
Size : customized size



MYNNIN YHTEYSHENKILÖT

ETELÄ-SUOMI

Roy Lindqvist, avainasiakaspäällikkö
puh. 040 743 9046
roy.lindqvist@duuri.fi

PROJEKTIMYYNTI

Niko Ikonen, avainasiakaspäällikkö
puh. 040 570 7323
niko.ikonen@duuri.fi

LÄNSI-SUOMI

Ville Veromaa
puh. 040 451 0335
ville.veromaa@duuri.fi

KESKI-SUOMI JA ITÄ-SUOMI

Jukka Pirskanen
puh. 0400 573 765
jukka.pirskanen@duuri.fi

PIRKANMAA JA HÄME

Janne Lyly
puh. 050 516 9120
janne.lyly@duuri.fi

POHJOIS-SUOMI

Antti Isola
puh. 040 587 1694
antti.isola@duuri.fi

MYNTI JA TEKNINEN NEUVONTA

Myynti ja tekninen neuvonta palvelee arkisin klo 7.00–16.00
numerossa 09 351 050 tai duuri@duuri.fi

Mika Koskinen
puh. 040 940 2811
mika.koskinen@duuri.fi

Marko Laine
puh. 040 684 6266
marko.laine@duuri.fi

Anssi Hast
puh. 040 685 5380
anssi.hast@duuri.fi